

OPENNET-XIII

Entrance Examination for Post Basic B. Sc. Nursing Programme-2025 to be held in March, 2025

Total No. of Questions : 120

Time : 150 Minutes
(2½ Hours)

-
- All questions are compulsory.
 - Questions are based on General Nursing Midwifery (GNM) Syllabus perscribed by Indian Nursing Council (INC).
 - The total number of questions are 120 and each question carries one mark.
 - Use Blue/Black ball point pen for darkening the circles of answers in OMR Answer Sheet.

Read the instructions given on the OMR Response Sheet carefully.

How to fill up the information on the OMR Response Sheet

1. Write your complete Enrolment No. in 10 digits. This should correspond to the enrolment number indicated by you on the OMR Response Sheet. Also write your correct name, address with pin code in the space provided. Put your signatures on the OMR Response Sheet with date. Ensure that the Invigilator in your examination hall also puts his/her signature with date on the OMR Response Sheet at the space provided.
2. On the OMR Response Sheet student's particulars are to be filled in with Blue/Black Ball Point Pen. Also use Blue/Black Ball Point Pen for writing the Enrolment No. and Examination Centre Code as well as for darkening the circle bearing the correct answer number against the serial number of the question.
3. Do not make any stray remark on the OMR Response Sheet.
4. Write correct information in numerical digits in Enrolment No. and Examination Centre Code Columns. The corresponding circle should be dark enough and should be filled in completely.
5. Each question is followed by four probable answers which are numbered (1), (2), (3) and (4). You should select and show only one answer to each question considered by you as the most appropriate or the correct answer. Select the most appropriate answer. Then by using pen, darken the circle bearing the correct answer number against the serial number of the question.
6. No credit will be given if more than one answer is given for one question. Therefore, you should select the most appropriate answer.
7. You should not spend too much time on one question. If you find any particular question difficult, leave it and go to the next. If you have time left after answering all the questions, you may go back to the unanswered question(s). There is no negative marking for wrong answer.

GENERAL INSTRUCTIONS

1. No cell phones, calculators, books, slide-rules, note-books or written notes, etc. will be allowed inside the examination hall.
2. You should follow the instructions given by the Centre Superintendent and by the Invigilator at the examination venue. If you violate the instructions, you will be disqualified.
3. Any candidate found copying or receiving or giving assistance in the examination will be disqualified.
4. The Test Booklet and the OMR Response Sheet would be supplied to you by the Invigilators. After the examination is over, you should hand over the OMR Response Sheet and Text Booklet to the Invigilator before leaving the examination hall. Any candidate who does not return the OMR Response Sheet will be disqualified and the University may take further action against him/her.
5. All rough work is to be done on the test booklet itself and not on any other paper. Scrap paper is not permitted. For arriving at answers you may work in the margins, make some markings or underline in the test booklet itself.
6. The University reserves the right to cancel result of any candidate who impersonates or uses/adopts other malpractices or uses any unfair means. The University may also follow a procedure to verify the validity of scores of all examinees uniformly. If there is substantial indication that your performance is not genuine, the University may cancel your result.
7. Get your hall ticket signed by the Invigilator and before leaving the examination hall, please ensure that your hall ticket is signed by the Invigilator. Admission forms received without hall ticket in original will be summarily rejected.
8. Please retain your hall ticket with you. In case, you qualify for admission, you will have to submit the original hall ticket along with Application Form.

OPENNET-XIII/2025

(A)(3)

ESOS \ IX-X-TEMP P. T. O.



1. Sagittal plane is :

- (1) a vertical plane that divides body into right and left side
- (2) a covering of an organ
- (3) a horizontal plane that divides the body into upper and lower parts
- (4) An oblique plane dividing body in two parts

2. A state of human body in which of the internal environment remains stable :

- (1) Alkalosis
- (2) Acidosis
- (3) Homeostasis
- (4) Metastasis

3. All the following are endocrine glands, except :

- (1) Pituitary
- (2) Thyroid
- (3) Adrenal
- (4) Salivary

4. The name of the reflex that results in great toe extension from stimulation of the sole of the foot is :

- (1) Patellar
- (2) Babinski
- (3) Achilles
- (4) Abdominal

5. All the following are parts of brainstem, EXCEPT :

- (1) Medulla oblongata
- (2) Pons
- (3) Midbrain
- (4) Thalamus

6. Function of optic nerve is :

- (1) Smell
- (2) Vision
- (3) Chewing
- (4) Movement

7. Causative organism for gas gangrene is :

- (1) *Clostridium botulinum*
- (2) *Clostridium perfringens*
- (3) *Clostridium tetani*
- (4) *Clostridium difficile*

8. The initial infection by an organism in a host :

- (1) Auto-infection
- (2) Re-infection
- (3) Primary infection
- (4) Secondary infection

9. According to Freud psycho-sexual theory, the stage which lasts from birth to one year of age :

- (1) Phallic (2) Latency
- (3) Anal (4) Oral

10. Erickson's stage of adolescence (12-19 years) that tries to figure out how they are unique is :

- (1) Autonomy vs. Shame (2) Trust vs. Mistrust
- (3) Identity vs. Role confusion (4) Intimacy vs. Isolation

11. One of the following example refers to sublimation—a defence mechanism is :

- (1) excelling in athletics while failure in education
- (2) failure in athletics as well as in education
- (3) excelling in both athletics and education
- (4) delays future plan of career advancement

12. The process of sensing, attending, interpreting, creating meaningful patterns through sense organs is known as :

- (1) Attention (2) Perception
- (3) Frustration (4) Motivation

13. A natural and acquired ability for doing a certain kind of work at certain level is :

- (1) Adaptation (2) Attitude
- (3) Intelligence (4) Aptitude

14. All of the following are related to class EXCEPT :

- (1) It is based on socio-economic status.
- (2) It is static in nature.
- (3) Rules are flexible.
- (4) It is dynamic in nature.

15. A social institution that controls and regulates the union of two people relationship :

- (1) Family
- (2) Religion
- (3) Marriage
- (4) Community

16. The term that best describes shortness of breath in a client on lying down, and relieved on sitting or standing up position is :

- (1) dyspnea
- (2) orthopnea
- (3) hyperpnea
- (4) acapnea

17. The nurse measures a patient's temperature as 102°F is equivalent in Celsius scale to :

- (1) 38.9°C
- (2) 39.7°C
- (3) 40.1°C
- (4) 47°C

18. The prescription order is for 250 mg of a drug to be given to a patient. The drug vial reads 500 mg/ml. How much of the drug should the nurse give ?

- (1) 2 ml
- (2) 1 ml
- (3) 0.5 ml
- (4) 0.25 ml

19. DNR refers to an order to :

- (1) Do-Not-Revive
- (2) Do-Not-Refer
- (3) Do-Not-Resuscitate
- (4) Do-Not-Re-Intubate

20. The incubation period of a disease is :

- (1) period from onset of signs and symptoms to recovery
- (2) period from invasion of microbes to onset of signs and symptoms of the disease
- (3) period from onset of recovery to complete recovery
- (4) period from immunization to development of immunity

21. The correct nursing action when a client begins to cough as a nasogastric tube is passed into the oropharynx is to :

- (1) Ask the client to swallow or give sips of water.
- (2) Remove the tube and attempt reinsertion.
- (3) Use firm pressure to pass the tube through the glottis.
- (4) Have the client tilt the head back to open the passage.

22. Cathartics are medications that :

- (1) suppress peristaltic activity (2) are used to treat diarrhoea
- (3) promote bowel activity (4) absorbs excess fluid in the intestine

23. The nurse is about to administer iron dextran to the client. The correct technique to administer the drug is to :

- (1) give subcutaneous at 45° angle to the pinched up skin.
- (2) give intra-dermally at angle 10° to 15° bevel up
- (3) give IM injection using Z-track method
- (4) give orally after diluting

24. The presence of air bubble in vein is known as :

- (1) Pulmonary embolism (2) Arterial embolism
- (3) Extravasation (4) Air embolism

25. Every person who attended a smoking cessation educational programme completed a questionnaire. This method of data collection is called :

- (1) Survey (2) Observation
- (3) Case study (4) Focus group

26. As per American Nurses Association (ANA), an authoritative statement by which the quality of nursing practice, service or education can be judged is known as :

- (1) Policy (2) Standards
- (3) Professional ethics (4) Power

27. A nurse is teaching a diabetic patient for self-injecting insulin. The most appropriate method for this purpose is :

- (1) Seminar
- (2) Demonstration
- (3) Symposium
- (4) Brochure with pictures

28. The key component of lesson planning includes :

- (1) pre-assessment
- (2) planning of the session
- (3) timing the lesson
- (4) learning objectives

29. Instructional strategies in any teaching-learning process are referred as :

- (1) Andragogy
- (2) Pedagogy
- (3) Technology
- (4) Language

30. Domain of learning that applies to the attitude, behaviour, norms and values development in student is :

- (1) Cognitive
- (2) Affective
- (3) Psychomotor
- (4) Collaborative

31. Symptoms of hypokalemia are all of the following EXCEPT :

- (1) Skeletal muscle weakness
- (2) Constipation
- (3) Cough
- (4) Flaccid paralysis

32. In Addison's disease there is insufficient secretion of :

- (1) Thyroid hormone
- (2) Parathyroid hormone
- (3) Cortisol
- (4) Pituitary hormone

33. All of the following are the advantages of peritoneal dialysis EXCEPT :

- (1) It is inexpensive.
- (2) It is well-tolerated.
- (3) Vascular access is not required.
- (4) Needs anti-coagulant therapy.

34. In Parkinson's disease bradykinesia is demonstrated by :

- (1) Pill rolling movement of hands
- (2) Limb rigidity
- (3) Constipation
- (4) Slow and shuffling gait

35. All of the following are peripheral pulses EXCEPT :
- (1) Popliteal
 - (2) Tibial
 - (3) Dorsalis pedis
 - (4) Jugular
36. Surgery performed to eradicate a disease is called :
- (1) Diagnostic surgery
 - (2) Curative surgery
 - (3) Restorative surgery
 - (4) Palliative surgery
37. Allen's test is used for :
- (1) Arterial blood gas studies
 - (2) Thoracentesis
 - (3) Pleural biopsy
 - (4) Bronchoscopy
38. Atenolol is a/an :
- (1) Antidiabetic drug
 - (2) Antihypertensive drug
 - (3) Diuretic drug
 - (4) Anticoagulant drug
39. Steatorrhea is seen in :
- (1) Cirrhosis of liver
 - (2) Diabetes mellitus
 - (3) Ulcerative colitis
 - (4) Malabsorption syndrome
40. All of the following are the nursing interventions in case of below knee amputation EXCEPT :
- (1) Keep the stump inflexed position at knee
 - (2) Monitor for bleeding
 - (3) Inspect stump closely
 - (4) Encourage quadriceps setting exercises
41. Abnormal rapid proliferation of Epidermal cells causes :
- (1) Psoriasis
 - (2) Pemphigus
 - (3) Steven-Johnson syndrome
 - (4) Erysipelas
42. Stapedectomy is done in case of :
- (1) Otosclerosis
 - (2) Otitis media
 - (3) Mastoiditis
 - (4) Perichondritis

43. One of the following is an antiarrhythmic drug :

- (1) Spironolactone (2) Adenosine
- (3) Prazosin (4) Hydralazine

44. Operation Billroth I is also known as :

- (1) Antrectomy (2) Pyloroplasty
- (3) Gastrodeudonostomy (4) Gastrojejunostomy

45. Abdominal or pelvic masses are seen in :

- (1) Ovarian cancer (2) Cervical cancer
- (3) Endometrial cancer (4) Vaginal cancer

46. All measures to reduce or limit impairments and disabilities caused by any disease or illness and promote patient adjustment is :

- (1) Premordial prevention (2) Primary prevention
- (3) Secondary prevention (4) Tertiary prevention

47. In Community Health Nursing process, community identification is a component of :

- (1) Action phase (2) Assessment phase
- (3) Planning phase (4) Evaluation phase

48. Public Health Nurse (PHN) can categorise the health problems of a family into the following EXCEPT :

- (1) Health risk (2) Health deficit
- (3) Health threat (4) Crisis situation

49. Causation of Non-Communicable Diseases (NCDs) is based on the following model :

- (1) Epidemiological Triad (2) Ecological Model
- (3) Web of Causation (4) Natural History of Disease

50. Under National Immunization Schedule 1st dose of Vitamin 'A' is :

- (1) 200,000 IU (2) 100,000 IU
- (3) 150,000 IU (4) 250,000 IU

OPENNET-XIII / 2025

(10)

51. Ice Lined Refrigerator (ILR) cabinet temperature to be maintained between :

- | | |
|--------------------|--------------------|
| (1) + 2°C to + 8°C | (2) + 2°C to + 6°C |
| (3) - 2°C to - 8°C | (4) - 2°C to - 6°C |

52. The incubation period of chikungunya fever is :

- | | |
|--------------|---------------|
| (1) 2-3 days | (2) 4-7 days |
| (3) 8-9 days | (4) 9-11 days |

53. As per classification of fats, triglycerides are an example of :

- | | |
|--------------------|---------------------|
| (1) Complex lipids | (2) Compound lipids |
| (3) Simple lipids | (4) Derived lipids |

54. All of the following are first aid measures for burn case EXCEPT :

- | |
|--|
| (1) Stop burning by removing clothes |
| (2) Use cool running water to reduce temperature of burn |
| (3) Extinguish flames by allowing person to roll on ground |
| (4) Apply ice, oil and turmeric to the burn |

55. Under safe abortion services the following facilities are provided to women EXCEPT :

- | |
|------------------------------------|
| (1) Mifepriston (Ru 486) |
| (2) Misoprostol |
| (3) Manual Vacuum Aspiration (MVA) |
| (4) Oral Contraceptive Pills |

56. Government of India announced latest National Health Policy (NHP) in the year :

- | | |
|----------|----------|
| (1) 2017 | (2) 2016 |
| (3) 2013 | (4) 2012 |

57. 17 Sustainable Development Goals (SDGs) to be achieved by year : 2035

- | | |
|----------|----------|
| (1) 2025 | (2) 2035 |
| (3) 2030 | (4) 2040 |

OPENNET-XIII / 2025

(11)

58. Indian Red Cross Society was established in :

- (1) 1902 (2) 1912
- (3) 1918 (4) 1920

59. Under National Health Mission (NHM), Rashtriya Bal Swasthya Karyakram (RBSK) was launched by Government of India (GoI) in the year :

- (1) 2012 (2) 2013
- (3) 2014 (4) 2015

60. National Programme for Healthcare for Elderly was launched in the year :

- (1) 2010 (2) 2011
- (3) 2012 (4) 2013

61. APGAR SCORE includes all of the following EXCEPT :

- (1) Appearance (2) Posture
- (3) Grimace (4) Reaction

62. The following are characteristics of Autism EXCEPT :

- (1) Onset after seven years of age (2) Repetitive behaviour
- (3) Delayed language development (4) Deficit in social interaction

63. Megaloblastic anemia occurs due to deficiency of :

- (1) Vitamin B₁₂ (2) Iron
- (3) Folic acid (4) Pyridoxine

64. A form of malnutrition caused due to deficiency of energy and protein in children :

- (1) Kwashiorkor (2) Marasmus
- (3) Nightblindness (4) Anaemia

65. Following are the clinical signs of a child diagnosed with nephrotic syndrome

EXCEPT :

- (1) Massive proteinuria (2) Thrombocytopenia
- (3) Hypoalbuminemia (4) Hyperlipidemia

66. The most common type of hepatitis seen among children in India :
- (1) Hepatitis E
 - (2) Hepatitis D
 - (3) Hepatitis A
 - (4) Fungal hepatitis
67. A major complication of undescended testes is :
- (1) Infection
 - (2) Hydrocele
 - (3) Hernia
 - (4) Testicular cancer
68. All of the following are the primary manifestations of asthma in children EXCEPT :
- (1) Rhinitis
 - (2) Wheezing
 - (3) Shortness of breath
 - (4) Dyspnea
69. The most common malignant neoplasm of infancy is :
- (1) Wilms tumor
 - (2) Hepatoblastoma
 - (3) Leukopenia
 - (4) Neuroblastoma
70. A child suffering from red or blue spot on the skin muscle and joint pain and X-ray revealing Frenkel's lines is :
- (1) Achondroplasia
 - (2) Scurvy
 - (3) Rickets
 - (4) Leukemia
71. All of the following are causes of constipation among toddler EXCEPT :
- (1) Forced toilet training
 - (2) Fear of bowel movements
 - (3) Excessive milk intake
 - (4) Painful bowel movement
72. Inflammation of the inner lining of heart is :
- (1) Myocarditis
 - (2) Endocarditis
 - (3) Cardiomyopathy
 - (4) Congestive heart failure
73. A vaccine that can be given to an immunocompromised child is :
- (1) Hib
 - (2) OPV
 - (3) BCG
 - (4) MMR

74. A newborn if kept naked on cold surface loses heat by :

- (1) Conduction (2) Convection
- (3) Evaporation (4) Radiation

75. Complementary feeding should be started at the age of :

- (1) 1 year (2) 2 months
- (3) 6 months (4) 7 months

76. One of the following is a disorder of perception :

- (1) Illusion (2) Cataplexy
- (3) Delusion (4) Perserveration

77. In Lithium therapy, the serum lithium level is monitored for the first time :

- (1) After 12-24 hours of the first dose
- (2) After 3-5 days of the first dose
- (3) After 36-48 hours of the first dose
- (4) After 10-14 days of the first dose

78. Persecutory delusions is commonly seen in :

- (1) Paranoid schizophrenia (2) Obsessive-compulsive disorder
- (3) Bipolar affective disorder (4) Phobia

79. Disulfiram therapy is indicated in :

- (1) Alcohol intoxication (2) Opioid intoxication
- (3) Cannabis dependence (4) Alcohol dependence

80. Worthlessness, hopelessness and helplessness are characteristic features of :

- (1) Paranoid schizophrenia (2) Depression
- (3) Obsessive-compulsive disorder (4) Mania

81. A person who is aloof, isolated and does not socialize is :

- (1) Anxious (2) Obsessive
- (3) Withdrawn (4) Aggressive

82. Unshakeable and persistent ideas are called :

- (1) Hallucinations
- (2) Illusions
- (3) Obsessions
- (4) Delusions

83. Insight is impaired in all EXCEPT :

- (1) Phobia
- (2) Personality disorders
- (3) Schizophrenia
- (4) Psychosis

84. One of the following is used in the management of acute opioid overdose :

- (1) Disulfiram
- (2) Naltrexone
- (3) Naloxone
- (4) Acamprosate

85. A client-centered therapist will use :

- (1) Empathy
- (2) Ego states
- (3) Desensitization
- (4) Racket system

86. One of the following is used to treat dystonia in a client who is on antipsychotics :

- (1) Midazolam
- (2) Haloperidol
- (3) Prochlorperazine
- (4) Diphenhydramine

87. The most important factor in a successful therapeutic relationship is :

- (1) Professionalism
- (2) Knowledge
- (3) Trust
- (4) Motivation

88. Hero-worshipping is a form of :

- (1) Displacement
- (2) Identification
- (3) Fantasy
- (4) Obsession

89. Clouding of consciousness is seen in one of the following :

- (1) Schizophrenia
- (2) Dementia
- (3) Delirium
- (4) Obsessive-compulsive disorder

90. Following are the clinical features of mania EXCEPT :

- (1) Elation of mood
- (2) Disorientation
- (3) Increased psychomotor activity
- (4) Talking big or grand

91. Human Chorionic Gonadotropin (hCG) hormone is produced by :

- (1) Syncytiotrophoblast
- (2) Cytotrophoblast
- (3) Mesoderm
- (4) Decidual gland

92. Arrange the parts of fallopian tube from medial to lateral order :

- (a) Ampulla
- (b) Infundibulum
- (c) Interstitial
- (d) Isthmus

Codes :

- (1) (a), (b), (c); (d)
- (2) (c), (b), (d), (a)
- (3) (a), (d), (c), (b)
- (4) (c), (d), (a), (b)

93. Height of fundus is midway between umbilicus and xiphisternum at :

- (1) 30 weeks
- (2) 28 weeks
- (3) 26 weeks
- (4) 24 weeks

94. All of the following are the characteristics of true labour pain EXCEPT :

- (1) Intensity and duration of contraction increases progressively
- (2) Associated with show
- (3) Pain is felt more in front of abdomen and radiating to thighs
- (4) Progressive effacement and dilatation of cervix

95. The most important immunoglobulin that provides immunity to the newborn, present in the breast milk :

- (1) Ig A
- (2) Ig D
- (3) Ig G
- (4) Ig M

96. In case the uterus becomes boggy after one hour of delivery, the immediate action of the midwife should be to :

- (1) Notify the obstetrician
- (2) Check the blood pressure
- (3) Massage the uterus
- (4) Observe the amount of bleeding

97. All of the following are the measures to prevent eclampsia in pregnancy EXCEPT :

- (1) Regular monitoring of blood pressure
- (2) Early screening of high risk pregnancies
- (3) Administration of tablet folic acid to the woman
- (4) Consumption of balanced diet in pregnancy

98. Complete Breech presentation include :

- (1) Both thighs and legs are partially extended.
- (2) Normal attitude with full flexion of hips and legs.
- (3) Thighs are extended but knees are flexed.
- (4) Thighs are flexed on trunk and legs extended.

99. Pain or discomfort in the calf muscles or thighs which increases on dorsiflexion of the foot is :

- (1) Hegar's sign
- (2) Goodell's sign
- (3) Chadwick's sign
- (4) Homan's sign

100. Delayed cord clamping is contraindicated in :

- (1) Baby born to anaemic mother
- (2) Birth weight more than 3 kg
- (3) Preterm baby
- (4) Rh incompatibility

101. One of the following is used for rotation of fetal head during delivery :

- (1) Wrigley's forceps
- (2) Simpson's forceps
- (3) Kielland's forceps
- (4) Haig-Ferguson's forceps

102. Ketoacidosis occurs due to the deficient intake of :

- (1) Carbohydrate
- (2) Fat
- (3) Protein
- (4) Minerals

103. The drug that has power to excite uterine contractions is known as :

- (1) Tocolytics
- (2) Oxytocin
- (3) Steroids
- (4) Betamimetics

104. Death of baby within 28 days after birth is known as :

- (1) Perinatal death
- (2) Infant death
- (3) Still birth
- (4) Neonatal death

105. Venereal Disease Research Laboratories (VDRL) test is done for screening of :

- (1) HIV
- (2) Gonorrhoea
- (3) Syphilis
- (4) Genital warts

OPENNET-XIII / 2025

(17)

106. One of the following is the correct definition of 'Chain of Command' :

- (1) hierarchy of authority
- (2) relationship without authority
- (3) linear authority
- (4) performance as expected

107. One of the following leadership styles is most effective :

- (1) democratic leadership
- (2) laissez-faire relationship
- (3) bureaucratic leadership
- (4) autocratic leadership

108. Barriers to effective communication in the workplace include all EXCEPT :

- (1) Performance barriers
- (2) Physical barriers
- (3) Psychological barriers
- (4) Language barriers

109. Evaluation of nursing care by analysing the patient charts after discharge is called :

- (1) Documentation
- (2) Supervision and verification
- (3) Nursing audit
- (4) Performance appraisal

110. The major ethical principles are all of the following EXCEPT :

- (1) Autonomy
- (2) Infidelity
- (3) Beneficence
- (4) Justice

111. A manager who supervises a number of first-level managers within the related specialities is :

- (1) Executive
- (2) Supervisor level
- (3) Middle-level manager
- (4) Top level manager

112. Hawthorne effect explains that the relationship between people and productivity is enhanced by one of the following :

- (1) Organisations
- (2) Creativity
- (3) Special attention
- (4) Groups

113. A nurse who reads research articles and incorporates research findings into nursing practice would demonstrate one of the following research roles :

- (1) Consumer
- (2) Primary investigator
- (3) Collaborator
- (4) Producer

114. The initial and one of the most significant steps in conducting the research process is :

- (1) defining the research variables (2) identifying the research problem
- (3) stating the research purpose (4) determining the feasibility of the study

115. All of the following are research data collection tool EXCEPT :

- (1) Questionnaire (2) Opinionnaire
- (3) Observation checklist (4) Chart and poster

116. A research hypothesis :

- (1) predicts the expected outcomes of the study
- (2) defines the theoretical framework of the study
- (3) identifies the source of the problem under study
- (4) clarifies the concepts used in the study

117. All of the following are types of non-probability sampling EXCEPT :

- (1) Purposive sampling (2) Convenience sampling
- (3) Simple random sampling (4) Quota sampling

118. Problem identification in the research process would be equivalent to one of the following steps in the nursing process :

- (1) goal identification (2) data interpretation
- (3) identifying solutions (4) nursing diagnosis

119. The researcher uses one of the following portions of the research report to capture the reader's attention :

- (1) Methods (2) Abstract
- (3) Results (4) Discussion

120. One of the following research utilizes statistics to make generalization :

- (1) Phenomenological research (2) Qualitative research
- (3) Quantitative research (4) Basic research

- | | | | |
|-------------------------------|--------------------------|---------------------------|---------------------------|
| (3) Quantitative research | (4) Basic research | (5) Qualitative research | (6) Quantitative research |
| (1) Phenomenological research | (2) Qualitative research | (3) Quantitative research | (4) Quantitative research |

120. One of the following research utilizes a technique to make generalization:

- | | | | |
|-------------|------------------|--------------|-------------|
| (3) Results | (4) Discussion | (5) Abstract | (6) Summary |
| (1) Methods | (2) Introduction | (3) Abstract | (4) Summary |

130. The researcher uses one of the following portions of the research report to explain the research's attention:

- | | | | |
|---------------------------|-------------------------------------|-------------------------|-------------|
| (3) Identifying variables | (4) Making judgments about validity | (5) Data interpretation | (6) Summary |
| (1) Goal identification | (2) Data interpretation | (3) Data interpretation | (4) Summary |

140. Problem identification in the research process would be equivalent to one of the following steps in the nursing process:

- | | | | |
|----------------------------|--------------------------|--------------------------|------------------------|
| (3) Simple random sampling | (4) Quota sampling | (5) Convenience sampling | (6) Purposive sampling |
| (1) Purposive sampling | (2) Convenience sampling | (3) Convenience sampling | (4) Purposive sampling |

150. All of the following are types of non-probability sampling EXCEPT:

- | | | | |
|------------------------|--------------------------|--------------------------|------------------------|
| (3) Purposive sampling | (4) Convenience sampling | (5) Convenience sampling | (6) Purposive sampling |
| (1) Purposive sampling | (2) Convenience sampling | (3) Convenience sampling | (4) Purposive sampling |

160. A researcher is using:

- | | | | |
|--------------------------|--------------------------|--------------------------|------------------------|
| (3) Convenience sampling | (4) Convenience sampling | (5) Convenience sampling | (6) Purposive sampling |
| (1) Convenience sampling | (2) Convenience sampling | (3) Convenience sampling | (4) Purposive sampling |

170. All of the following are research data collection tools EXCEPT:

- | | | | |
|---------------|---------------|---------------|---------------|
| (3) Interview | (4) Interview | (5) Interview | (6) Interview |
| (1) Interview | (2) Interview | (3) Interview | (4) Interview |

SPACE FOR ROUGH WORK

180. The research and analysis section of the research report is the final section.

SEAL

SEAL